

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	10	("3814943" "3916194" "4163157" "4231014" "4293776" "4319137" "4587434" "4723072" "5034616" "5381019").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/19 14:27
S3	64	(detect\$4 or check \$4 or measur\$4 or determin\$4) with quality with sheet front rear (illuminate or light) transport	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/19 14:35
S9	26	serial near5 number\$4 near5 sheet inspect\$4 near5 sheet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 11:19
S10	9915	number\$4 with (device or unit or cylinder or apparatus) pressure with cylinder with (mark \$4 or number\$4 or print\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 11:41
S11	40	number\$4 with (device or unit or cylinder or apparatus) pressure with cylinder with (mark \$4 or number\$4 or print\$4) (sheet with inspect\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 11:44

S12	7	serial with (number \$4 or label\$4) with (device or unit or cylinder or apparatus) pressure with cylinder with (mark \$4 or number\$4 or print\$4) (sheet with inspect\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 11:57
S13	14	mark\$4 with (device or apparatus or unit or cylinder) same counter with pressure with cylinder same number\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 12:00
S14	2	marking adj device with pressure adj cylinder with numbering adj unit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 12:10
S15	2	(marking or printing or imprinting or inscribing or inking) adj device with pressure adj cylinder with numbering adj unit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 12:11
S16	3	(marking or printing or imprinting or inscribing or inking) adj (device or unit or apparatus or head) with pressure adj cylinder with numbering adj unit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 12:11
S17	939	(marking or drawing or writing or printing or inking or imprinting) near5 (unit or apparatus or device) near10 pressure near3 cylinder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 12:13

S18	13	(marking or drawing or writing or printing or inking or imprinting) near5 (unit or apparatus or device) near10 pressure near3 cylinder sheet with inspect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 12:14
S19	1114	number\$4 unit with pressure cylinder (sheet or paper) with (inspect\$4 or quality)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 12:26
S20	4	number\$4 adj unit with pressure cylinder (sheet or paper) with (inspect\$4 or quality)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 12:27
S21	12	number\$4 adj unit with pressure near3 cylinder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 12:29
S22	1351	device with (mark \$4 or label\$4 or noting or denot\$4) with (faults or errors) with (detect \$4 or found or determin\$4 or locat \$4 or observ\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 12:41
S23	229	device with (mark \$4 or label\$4 or noting or denot\$4) with (faults or errors) with (detect \$4 or found or determin\$4 or locat \$4 or observ\$4) same number\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 12:47

S24	167	marking with device same ((quality with check\$4) or (error with detect\$4) or (inspect\$4)) with (sheet or web or paper or substrate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 12:55
S25	742	number\$4 with only with (check\$4 or passing or pass or passed or verif\$4 or certif\$4) with (sheet or paper or bill or web)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 13:20
S26	174	(print\$4 or mark\$4 or label\$4) with number\$4 with only with (check\$4 or passing or pass or passed or verif\$4 or certif\$4 or inspect\$4) with (sheet or paper or bill or web)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 13:29
S27	4	PCT/CH01/00269	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 13:39
S30	9	digit with wheel with number\$4 with device with number with change	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/24 14:08
S31	246	digit with wheel with number\$4 with device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/24 14:22

S32	13	("1503375" "1650535" "1653765" "3421752" "4045944" "4207814" "4677910" "5660106" "6647402").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/24 14:27
S33	0	S31 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/24 14:27
S34	2	digit with wheel with number\$4 monitor with error	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/24 14:40
S35	4	digit with wheel with number\$4 monitor\$4 with error	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/24 14:40
S36	0	wheel with number with numbering monitor with error	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/24 14:44
S37	1	wheel with numbering monitor with error	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/24 14:44
S38	1177	wheel with (monitor\$4 or detect\$4 or check \$4) with (stop\$4 or movement) with stop\$4 near3 (device or apparatus or wheel or print\$4)	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/24 15:11
S39	132	wheel with (monitor\$4 or detect\$4 or check \$4) with (stop\$4 or movement) with stop\$4 near3 (device)	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/24 15:19

S40	1	digit with wheel with (monitor\$4 or detect\$4 or check \$4) with (stop\$4 or movement) with stop\$4 near3 (device)	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/24 15:19
S41	4	device with monitor with digit with wheel	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/24 15:22
S42	10	digit with wheel with monitor	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/24 15:23
S43	95	marking with device with (multiple or several or two or three or plurality) with (printhead or print adj head or spray adj head or jets)	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/24 15:26
S44	3901	(transport near3 drum) or (conveyer near3 belt) with (serve or function or work or constitute) with pressure near3 cylinder	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/24 15:28
S45	7	magnetic near5 sensor with ((transport near3 drum) or (conveyer near3 belt))	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/24 15:29
S46	3898	(transport near3 drum) or (conveyer near3 belt) with (serve or function or work or constitute) with counter near pressure near3 cylinder	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/24 15:29

S47	3898	(transport near3 drum) or (conveyer near3 belt) with (serve or function or work or constitute) with counter near pressure near3 cylinder inspect\$4 with device	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/24 15:44
S48	3898	(transport near3 drum) or (conveyer near3 belt) with (serve or function or work or constitute) with counter near3 pressure near3 cylinder inspect\$4 with device	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/24 15:44
S49	1	((transport near3 drum) or (conveyer near3 belt)) with (serve or function or work or constitute) with counter near3 pressure near3 cylinder inspect\$4 with device	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/24 15:48
S50	1	((transport near3 drum) or (conveyer near3 belt)) with (serve or function or work or constitute) with counter near3 pressure near3 cylinder	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/24 15:49
S51	4	((transport near3 drum) or (conveyer near3 belt)) with (serve or function or work or constitute) with pressure near3 cylinder	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/24 15:49

S52	25	((transport near3 drum) or (conveyer near3 belt)) with (serve or function or work or constitute) with cylinder	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/24 15:50
S53	0	(mark\$4 or tag or label) with column with (output or read or shows or write or display) near5 row with error	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/25 13:51
S54	1523	matrix with error with detect\$4	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/25 13:52
S55	252	matrix with error with detect\$4 with output	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/25 13:53
S56	16	matrix with error with detect\$4 (output or label or show or mark) with row (mark or label) with column	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/25 13:54
S57	3	marking with device with edge near4 region with sheet	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/25 14:17
S58	0	marking with device with edge near4 region with box	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/25 14:17
S59	3724	mark\$4 with edge with sheet	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/25 14:18
S60	358	mark\$4 with edge with sheet inspect \$4	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/25 14:18
S62	569	mark\$4 near3 edge near3 sheet	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/25 14:49
S63	67	mark\$4 near3 edge near3 sheet inspect\$4	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/25 14:51
S64	10	marking near3 edge near3 sheet inspect\$4	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/25 14:52
S66	167	marking near3 edge near3 sheet	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/25 14:55

S67	1	marking with device with (two or many or three or numerous or multiple or plurali \$4) with ink with spray with head	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 15:03
S68	44	marking with device with (two or many or three or numerous or multiple or plurali \$4) with print with head	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 15:04
S69	34	counter with pressure with cylinder with transport	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 15:21
S70	251	counter near5 pressure near5 cylinder with (transport or transfer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 15:22
S71	202	counter near5 pressure near5 cylinder near5 (transport or transfer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 15:26
S72	178	counter near5 pressure near5 cylinder near3 (transport or transfer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 15:29
S73	0	((transport near3 drum) or (conveyer near3 belt)) with (magnetic near3 sensor) with detect \$4 with charge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 15:37

S74	0	((transport near3 drum) or (conveyer near3 belt)) with (magnetic) with (detect\$4 or sens\$4) with charge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 15:42
S75	522	((transport near3 drum) or (conveyer near3 belt)) with (magnet\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 15:44
S76	3	((transport near3 drum) or (conveyer near3 belt)) with (magnet\$4 near5 field near5 sensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 15:45
S77	5	((transport near3 drum) or (conveyer near3 belt)) with (magnet\$4 near5 field) with (detect\$4 or sens\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 15:45
S78	41	((transport near3 drum) or (conveyer near3 belt)) with (magnet\$4) with (detect\$4 or sens\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 15:46
S82	0	print\$4 unit form cylinder inking unit supply ink same inspect\$4 unit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/03/25 16:18
S83	331	print\$4 with unit with inspection with device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 16:19
S84	0	S83 inking with unit ((form or forme) with cylinder) with suppl\$4 with ink	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 16:20

S85	6	S83 inking with unit ((form or forme) with cylinder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 16:20
S86	44	printing with unit inking with unit with form with cylinder with suppl \$4 with ink	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 16:22
S87	46	printing with unit inking with unit with form with cylinder with suppl \$4 with (ink or color or colour)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 16:22
S88	15	printing with unit inking near3 unit with form near3 cylinder with suppl \$4 with (ink or color or colour)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 16:23
S89	14	printing near3 unit inking near3 unit with form near3 cylinder with suppl \$4 with (ink or color or colour)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 16:23
S90	14	printing near3 unit inking near3 unit with (form near3 cylinder) with suppl \$4 with (ink or color or colour)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 08:36
S91	70	sheet with quality with inspection print\$4 with press	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 08:40
S92	13	sheet near3 quality near3 inspection print\$4 with press	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 08:41

S93	20	sheet near3 quality near3 inspection print\$4 near3 (press or unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 08:42
S94	1	sheet near3 quality near3 inspection print\$4 near3 (press or unit) form near3 cylinder ink\$4 near3 unit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 08:42
S95	1	transport adj drum with side near3 frame near3 panel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 10:49
S96	7	transport adj drum with side near3 frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 10:50
S97	1	transparent near3 casing with transport near3 drum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 11:07
S98	1	(transparent or opaque or clear) near3 (casing or cover) with transport near3 drum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 11:09
S99	18	(transparent or opaque or clear) near3 (casing or cover) with (transport near3 drum or conveyer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 11:09
S100	219	101/480.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 11:10

S101	4	(transparent or opaque or clear) near3 (casing or cover) with (transport near3 drum or conveyer) (inspect\$4 or check \$4 or sens\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 11:10
S102	564	250/556.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 11:14
S103	1	250/556.ccls. transparent with casing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 11:14
S104	0	250/556.ccls. transport with drum (inspect\$4 or sens\$4 or detect \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 11:15
S105	767	250/559.45.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 11:15
S106	491	250/559.46.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 11:15
S108	2068	356/445.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 11:16
S110	9	356/445.ccls. transparent with casing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 11:16

S111	1	250/559.46.ccls. transparent with casing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 11:16
S112	0	250/559.45.ccls. transparent adj casing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 11:17
S113	1	S108 transport adj drum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 11:17
S114	587	356/429.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 11:17
S115	1	S114 quality adj control print\$4 adj sheet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 11:17
S117	65	"101".clas. quality adj control print\$4 adj sheet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 11:18
S118	3	101/216.ccls. quality adj control print\$4 adj sheet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 11:18

3/ 27/ 2008 9:43:16 AM

C:\ Documents and Settings\ dbanh2\ My Documents\ EAST\ Workspaces\ 10564930.wsp